



**Decorative 710 CORDX** H: 10 W: 10 OAL: 48.50

**Description**

10" Globe pendant with 36" Black 18-3 cord. (White cord supplied with white fixtures)

**Specifications**

|                        |   |
|------------------------|---|
| <b>Housing</b>         | Stamped steel fitter and canopy*  |
| <b>Diffuser/Optics</b> | WACS - Seamless White Acrylic   |
| <b>Light Source</b>    | LED   |
| <b>Max Watts</b>       | 6.32  |
| <b>Electrical</b>      | TL/HO - L90 >55,000 Hrs. with TurboLED & TurboLED HO COB. 120-277V HPF Constant Current driver, LE-TE dimmable @120V and 0-10V dimming (model dependent). |
| <b>Mounting</b>        | Mounts over 4" recessed outlet box.   |
| <b>Certification</b>   | Manufactured in accordance with U.L. standard 1598 - For dry locations only   |

**Ordering Guide:** Choose from each category, using designated code to specify.

|           |          |              |        |        |
|-----------|----------|--------------|--------|--------|
| 710 CORDX |          |              |        |        |
| MODEL     | DIFFUSER | LIGHT SOURCE | FINISH | EXTRAS |

**Diffuser/Optics**

**WACS w/LOZ** - 1-piece White Acrylic (blow-molded)

**Light Source**

- TL3 HO** - 3.04W/40K 982 Lm, 0-10V dimmable
- TL3** - 3.11W/30K 603 Lm, 0-10V dimmable
- TL5 HO** - 4.59W/40K 1287 Lm, 120V dimmable
- TL5** - 4.7W/30K 909 Lm, 120V dimmable
- TL6 HO** - 6.16W/40K 1588 Lm, 120V dimmable
- TL6** - 6.32W/30K 1208 Lm, 120V dimmable

**Finish**

- Standard**
- BL** - Black
- DB** - Dura-Bronze
- WH** - White
- Upgraded\***
- RAL** - Specify Color #
- UPG** - Select Color from Luraline Palette
- Premium\***
- CCM** - Custom Color
- CIC** - Inner Color
- CTC** - Clear Top Coat
- \* Subject to Surcharge

**Extras (Order Separately)**

- 27K** Non-Stock item - consult factory for availability
- 35K** Neutral White
- DIM010** 4-wire 0-10V Dimming - 120-277V (STANDARD on TL19 & higher)
- SSP** 10KV 120-277V Supplemental Surge Protection

NOTES: When illuminated by certain light sources, a "shadow" may be visible at the bottom of Seamless White Acrylic globes (WACS). This is a result of the rotational molding process, NOT a manufacturing defect.

\*Driver is housed in extended aluminum canopy (not shown)